



Electrolux

Modular Cooking Range Line 700XP 4-Hot Plates Electric Boiling Top Range

ITEM # _____

MODEL # _____

NAME # _____


SIS # _____

AIA # _____



Electrolux

Modular Cooking Range Line
700XP 4-Hot Plates Electric Boiling Top Range



Modular Cooking Range Line
700XP 4-Hot Plates Electric Boiling Top Range

- | | |
|----------------------------|---|
| 371015 (E7ECEH4R00) | 4-hot plate (2,6 kW each)
electric boiling top |
| 371127 (E7ECEH4R0N) | 4-hot plate (2,6 kW each)
electric boiling top |

Short Form Specification

Item No. _____

To be installed on open base installations, bridging supports or cantilever systems. Four 2.6 kW cast-iron hot plates hermetically sealed to the one-piece top. Exterior panels in stainless steel with Scotch Brite finish. One piece pressed work top in 1.5 mm thick stainless steel. Right-angled side edges to allow flush-fitting junction between units.

Main Features

- Unit to be mounted on open base cupboards, bridging supports or cantilever systems.
- The four 2.6kW cast-iron plates are hermetically sealed to the one-piece top.
- The special design of the control knob system guarantees against water infiltration.
- IPX 4 water protection.

Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- One piece pressed 1.5 mm work top in Stainless steel.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.

Optional Accessories

- Kit 4 wheels - 2 swivelling with brake PNC 206135 - it is mandatory to install base support and wheels
- Support for bridge type installation, 800mm PNC 206137
- Support for bridge type installation, 1000mm PNC 206138
- Support for bridge type installation, 1200mm PNC 206139
- Support for bridge type installation, 1400mm PNC 206140
- Support for bridge type installation, 1600mm PNC 206141
- Water column with swivel arm (water column extension not included) PNC 206289
- Water column extension for 700 line PNC 206291
- Chimney upstand, 800mm PNC 206304
- Right and left side handrails PNC 206307
- Base support for feet or wheels - 800mm (700/900) PNC 206367
- Rear paneling - 800mm (700/900) PNC 206374
- Rear paneling - 1000mm (700/900) PNC 206375
- Rear paneling - 1200mm (700/900) PNC 206376
- Chimney grid net, 400mm (700XP/900) PNC 206400
- Frontal handrail, 800mm PNC 216047
- Frontal handrail, 1200mm PNC 216049
- Frontal handrail, 1600mm PNC 216050
- Large handrail - portioning shelf, 400mm PNC 216185

APPROVAL: _____



Electrolux

**Modular Cooking Range Line
700XP 4-Hot Plates Electric Boiling
Top Range**


- Large handrail - portioning shelf, 800mm PNC 216186 □
- 2 side covering panels for top appliances PNC 216277 □



**Modular Cooking Range Line
700XP 4-Hot Plates Electric Boiling Top Range**

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2015.12.03



Electric

Supply voltage:

371015 (E7ECEH4R00)	400 V/3 ph/50/60 Hz
371127 (E7ECEH4R0N)	230 V/3 ph/50/60 Hz

Total Watts:

10.4 kW

Key Information:

Front Plates Power:	2.6 - 2.6 kW
Back Plates Power:	2.6 - 2.6 kW
Front Plates dimensions:	Ø 230 Ø 230
Back Plates dimensions:	Ø 230 Ø 230
Net weight:	40 kg
Shipping weight:	
371015 (E7ECEH4R00)	37 kg
371127 (E7ECEH4R0N)	55 kg
Shipping height:	540 mm
Shipping width:	820 mm
Shipping depth:	860 mm
Shipping volume:	0.38 m ³

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.