

Modular Cooking Range Line 900XP 1/2 Module Ambient Worktop

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	



391158 (E9WTNDN000)

Ambient WorkTop with closed front, 1/2 module

Short Form Specification

Item No.

To be installed on 900XP refrigerated base, open base cupboard, bridging supports or cantilever systems. Constructed in stainless steel with Scotch Brite finish. Worktop in 20/10, stainless steel. Right angled side edges eliminate gaps and possible dirt traps between units.

Main Features


- Heavy duty internal frame in Stainless steel.
- Unit to be installed on other 900 line bases.
- Right angled side edges eliminate gaps and possible dirt traps between units.

Construction

- Stainless steel top provides a heavy duty work surface under any load.
- Unit is 930 mm deep to give a larger working surface area.

APPROVAL:








Optional Accessories

Optional Accessories		
• Junction sealing kit	PNC	206086
• Support for bridge type installation, 800mm	PNC	206137
• Support for bridge type installation, 1000mm	PNC	206138
• Support for bridge type installation, 1200mm	PNC	206139
• Support for bridge type installation, 1400mm	_	206140
 Support for bridge type installation, 1600mm 	_	206141
 Support for bridge type installation, 400mm 	_	206154
Half module overshelf	_	206183
Water column with swivel arm (water column extension not included)	_	206289
Water column extension for 900 line	PNC	206290
• Chimney upstand, 400mm	PNC	206303
• Back handrail 800mm, Marine	_	206308
• Back handrail 1200mm, Marine	_	206309
• Side handrail-right/left hand (900XP)	PNC	216044
• Frontal handrail, 400mm	_	216046
• Frontal handrail, 800mm	_	216047
• Frontal handrail, 1200mm	PNC	216049
• Frontal handrail, 1600mm	PNC	216050
• Large handrail - portioning shelf, 400mm	_	216185
Large handrail - portioning shelf, 800mm	_	216186
 2 side covering panels for top appliances 	_	216278





Modular Cooking Range Line 900XP 1/2 Module Ambient Worktop



Key Information:

External dimensions, Width:

391158 (E9WTNDN000) 400 mm
External dimensions, Height: 250 mm
External dimensions, Depth: 930 mm
Net weight: 20 kg

The com