



Electrolux
PROFESSIONAL

Modular Cooking Snack Line Open Cupboard 24"

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



169030 (AV24)

OPEN CUPBOARD
24" (610 mm)

Short Form Specification

Item No. _____

Unit to be Electrolux Open Cupboard 24" (610 mm). Unit to be installed below Electrolux top units. Construction in Stainless Steel. Right-angled side edges to allow flush fitting between units. Supplied with 6" (150 mm) height adjustable, removable legs. Unit may be installed on castors.

Main Features

- Unit to be installed below Electrolux top models.
- Constructed in Stainless steel with Scotch Brite finish.
- Right-angled side edges to allow flush fitting joints between units.
- Supplied with 6" (150 mm) height adjustable, removable legs.
- Unit may be installed on castors.
- Base compartment for storage of pots, pans, sheet pans, etc.
- Included Accessories: 4 pins for connection to top units.

Optional Accessories

- Kit connecting Bases - 2 Plates and 2 wheels PNC 169041
- Kit 2 side supports for shelf grids for base 24" and 36" PNC 169089
- Shelf grid for base 24" PNC 169091
- Portioning shelf 12" PNC 169173
- Portioning shelf 16" PNC 169174
- Portioning shelf 24" PNC 169175
- Kit 4 wheels - 2 swivelling with brake - it is mandatory to install Base support and wheels PNC 206135


APPROVAL: _____



Experience the Excellence
www.electroluxprofessional.com

Modular Cooking Snack Line
Open Cupboard 24"





Key Information:**External dimensions,
Width:**

169030 (AV24) 24 1/32" (610 mm)

**External dimensions,
Depth:**

29 15/16" (760 mm)

**External dimensions,
Height:**

26 11/16" (678 mm)

Net weight:

44 lbs (20 kg)

Shipping width:

26 " (660 mm)

Shipping depth:

35 7/16" (900 mm)

Shipping height:

34 1/4" (870 mm)

Shipping weight:

55 lbs (25 kg)

Shipping volume:

18.25 ft³ (0.52 m³)