



THE WALDORF 800 SERIES
CONTINUES A TRADITION OF
BULLETPROOF PERFORMANCE
AND DEPENDABILITY WITH
A RANGE OF EUROPEAN
INSPIRED EQUIPMENT THAT
REDEFINES HOW THE ULTIMATE
KITCHEN SHOULD BE.



AN **EXPANDED** RANGE OF EQUIPMENT MEANS MORE OPTIONS AND **UNLIMITED** CREATIVE POSSIBILITIES.

Cleaner lines and consistency in modular design across the entire range enable units to fit together to create an almost seamless workspace. The industry preferred 800mm depth ensures efficient use of space, while easily accommodating the advanced performance features that define the 800 Series.





YOUR WORLD IS NOW FLATTER.

The new Waldorf 800 Series low back units deliver a seamless solution for the island suite kitchen. Create the layout you desire, mix and match tops and bottoms for your perfect result.









MORE **POWER** TO DESIGN YOUR OWN WORKSPACE. THE **CREATIVE** POSSIBILITIES ARE ALMOST ENDLESS.

Need a Oven to go under that Griddle? A Gas Cooktop with storage underneath? Are you desperate for extra refrigeration? With a bigger range of tops and bottoms available as individual units, the 800 Series enables you to configure your kitchen just about any way you like.





MORE POWER TO COOK.

The advanced performance made possible by the open burner design of the 800 Series gives the workhorse in your kitchen serious power to burn. The 28MJ burners allow precise heat adjustment across the entire spectrum (from high to low heat/simmer), providing just the right amount of heat, whatever the cooking task. Constructed from heavy-duty cast iron, with a forged brass cap for even flame spread, the non-clogging burner design ensures that continuous performance is never compromised.

Flame failure protection is fitted as standard with burner pilots optional. Robust gas controls are easy to use and designed to withstand the rigours of a busy commercial kitchen.



Heavy-duty pot supports.

Heavyweight iron castings and full vitreous enamel finish add extra durability to the 800 Series. Levelled tops allow easy movement of pans between burners, while extended pot support fingers provide greater stability for small pan use.

Simmer plates spread the heat.

A solid top simmer plate distributes heat evenly and provides excellent heat retention. It sits at the same level and is easily interchangeable with pot supports on all 800 Series Gas Cooktops.

MORE OF EVERYTHING MEANS MORE FLEXIBILITY.

With an expanded range of products and features, the 800 Series can be configured to suit virtually any application.

New products include:

- · Low back height option on all units, ideal for island suite applications
- 450mm gas Chargrill bench, leg stand and cabinet base models
- 400mm single pan gas Fryer
- 900mm 4 burner Cooktops available with leg stand, cabinet base or refrigerated base
- 450mm 2 burner Cooktops leg stand or cabinet base
- 900mm 4 burner Ranges gas or electric, static or convection ovens
- 450mm electric Pasta Cooker 7kW or 10.5kW options
- 450 and 900mm Induction Cooktops available with cabinet base
- Adjustable electric Salamander
- Open cabinet bases in 450, 600, 900 or 1200mm
- Modular stainless steel preparation benches in 200, 300, 450, 600, and 900mm

Gas and electric Cooktops, Target Tops and Griddles can be ordered in the following options:

- · Bench mounted
- · Leg stand with shelf
- Cabinet with optional racking



Smooth operation.

On its own, or as part of a whole cooking line, every unit in the 800 Series is designed to look fantastic. The same design philosophy has been applied across all units to create a streamlined, consistent appearance, and increase the amount of useable work surface. Continuous workspaces make transferring pots and pans between units much easier.







Robust as always.

All 800 Series units are finished in thick gauge 304 grade stainless steel. Fully framed doors incorporate a new robust hinging system. All our ranges are built on a full galvanized steel chassis construction. And the superb finishing that has become the hallmark of Waldorf products includes fully welded seams (including all bullnoses) and polished stainless steel surfaces.

Here comes the chill factor.

The addition of refrigeration units to the 800 Series range means food can be contained and cooked in one place. Cooktops, Griddles and Target Tops can be matched with 900 or 1200mm gastronorm refrigeration bases, available in a range of door/drawer combinations. All units accept 1/1 gastronorm sizing.

Waldorf refrigeration units are rated for tropical temperatures up to 40°C and have a holding temperature of -2 to +8°C. A digital temperature control and an automatic defrosting and condensate heater are standard on all units.

How do you like your griddle?

Waldorf Cooktop griddle sections can now be fitted anywhere within your Gas Cooktop layout. They are available in 300, 600 and 900mm sections, with smooth or ribbed surfaces, or a mixture of both.


Cleaning made easier.

The 800 Series range is designed for labour saving, easy cleaning. Rounded corners, internal and external edges enable easier wipe down and hygiene control. Streamlined surfaces make for effortless wiping down of a whole cooking line.

Service while you cook.

The 800 Series design allows full service and maintenance to be carried out while units are installed within the cooking line. This minimises the need to shut down a whole line to service one unit.







COOKTOPS

Simplicity of operation and augmented performance are the key features defining Waldorf's range of Gas and Electric Cooktops.

Gas Cooktops feature heavy-duty, vitreous enamel pot stands with extended finger supports that allow pots and pans to slide easily from one burner to another, while their advanced open burners generate an impressive 28MJ of heat. The electric versions offer a choice of heavy-duty, 2.4kW radiant elements, or 2kW solid plates.

Both versions of Cooktop provide flexibility in terms of the type of Cooktop surface that can be used. Hot top simmer plates can be incorporated into the Gas Cooktop, while both gas and electric can accommodate 300, 600 or 900mm griddle plates.



GAS COOKTOPS.

Standard Features.

Heavy-duty 304 grade stainless steel finish 28MJ rated open burners
2, 4, 6 or 8 burner Cooktop configuration
Flame failure protection on all burners
Removable heavy-duty cast iron burners and vitreous enamel pot stands
Heavy-duty reinforced control knobs
Griddles fitted with push-button piezo ignition 12mm griddle plate
Mounted on leg stand with suite matching shelf Adjustable feet and 2 additional rollers
Easy clean, installation and service

Options.

Flame failure with standing pilot
Choice of griddle surface — smooth, ribbed, or both
Bench mounted
Gastronorm storage cabinet underneath
Gastronorm refrigeration module underneath
Castor or plinth mounting

Accessories.

Solid top simmer plates

Mobile castor kit (set of 4 castors, 2 lockable)

Joining caps



450MM

600MM

WALDORF 8400 SERIES

4 BURNER COOKTOP

WALDORF 8450 SERIES

2 BURNER COOKTOP

GAS COOKTOPS

300MM **WALDORF 8200 SERIES** 2 BURNER COOKTOP

Model Options

Dimensions

Hob Variations

Model Codes RN8200G-B

BENCH MODEL ONLY

W 300mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Bench models



RN8203G-B



RN8200G-B

CABINET BASE MODEL LEG STAND MODEL

All models W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



RN8450G-CB RN8450G-LS



RN8450G-CB

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL



RN8400G-LS

Bench models

W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

All other models

W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm







RN8400G-B RN8400G-CB RN8400G-LS

RN8403G-B RN8403G-CB RN8403G-LS

RN8406G-B RN8406G-CB RN8406G-LS

WALDORF 8900 SERIES 4 BURNER COOKTOP

900MM

CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL



RN8900G-LS

All models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



RN8900G-CB RN8900G-LS RN8900G-RB



GAS COOKTOPS

900MM WALDORF 8600 SERIES 6 BURNER COOKTOP

Model Options

BENCH MODEL
CABINET BASE MODEL
LEG STAND MODEL
REFRIGERATED BASE MODEL



RN8603G-LS

Dimensions

Bench models W 900mm, D 805mm, H 315mm

Incl. splashback 530mm Incl. low back (RNL) 372mm

All other models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



Hob Variations







Model Codes

RN8600G-B RN8600G-CB RN8600G-LS RN8600G-RB

RN8603G-B RN8603G-CB RN8603G-LS RN8603G-RB

RN8606G-B RN8606G-CB RN8606G-LS RN8606G-RB

RN8609G-B RN8609G-CB RN8609G-LS RN8609G-RB

RN8800G-B

RN8800G-CB

RN8803G-CB

RN8803G-LS

1200MM WALDORF 8800 SERIES 8 BURNER COOKTOP

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL



RN8800G-RB

Bench models

W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

All other models

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm











RN8806G-RB RN8809G-B RN8809G-CB RN8809G-LS RN8809G-RB



ELECTRIC COOKTOPS.

Standard Features.

Heavy-duty 304 stainless steel finish

2.4kW radiant elements

2, 4 or 6 hot plate size configuration

Six temperature settings with simmer setting

Heavy-duty reinforced control knobs

12mm griddle plate

Mounted on leg stand with suite matching shelf

Adjustable feet and 2 additional rollers

Easy clean, installation and service

Options.

2kW solid plates

Choice of griddle surface – smooth, ribbed, or both

Bench mounted

Gastronorm storage cabinet underneath

Gastronorm refrigeration module underneath

Castor or plinth mounting

Accessories.

Mobile castor kit (set of 4 castors, 2 lockable)

Joining caps



ELECTRIC COOKTOPS

300MM **WALDORF 8200 SERIES** 2 ELEMENT COOKTOP

Model Options

Dimensions

Bench models

Hob Variations

Model Codes RN8200E-B

BENCH MODEL ONLY

W 300mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm





RN8200E-B



RN8203E-B

600MM **WALDORF 8400 SERIES** 4 ELEMENT COOKTOP

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL



RN8400E-LS

Bench models

W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

All other models

W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



RN8400E-B RN8400E-CB RN8400E-LS





RN8600E-B

900MM

WALDORF 8600 SERIES 6 ELEMENT COOKTOP

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL



RN8600E-LS


Bench models

W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

All other models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm









RN8606E-B RN8606E-CB RN8606E-LS RN8606E-RB RN8609E-B RN8609E-CB RN8609E-LS RN8609E-RB



INDUCTION COOKTOPS.

The new Waldorf range of Induction Cooktops utilise large 270mm induction zones that automatically detect various sized cooking pans.

The cooking zone switches off when the pan is removed. Each induction model is equipped with either two or four 5kW heavy-duty induction zones that have variable power controls for each cooking zone. The overall construction is heavy-duty 6mm thick ceramic glass, enabling pans to glide across the cooking surface. All Induction Cooktops are supplied with suite matching modular cabinet bases with doors and adjustable feet as standard.

With a large control knob for each induction zone with a (green) indicator light including pan detection indication. Waldorf Induction Cooktops offer the additional benefits of reduced energy consumption and lowering the amount of latent heat in the cooking area.

Standard Features.

Heavy-duty 304 stainless steel finish
5kW rated induction cooking zones
270mm diameter induction cooking zones
2 or 4 induction cooktop configuration
Fully sealed 6mm thick ceramic cooking surface
Adjustable stainless steel legs
Large easy use control knobs
Automatic pan detection
Easy clean, installation and service

Accessories.

Mobile castor kit (set of 4 castors, 2 lockable)
Joining caps



INDUCTION COOKTOPS

450MM WALDORF 8200 SERIES 2 INDUCTION ZONE COOKTOP

Model Options

Dimensions

Model Codes

CABINET BASE MODEL ONLY

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

IN8200E-CB



IN8200E-CB

CABINET BASE MODEL ONLY

W 900mm, D 805mm, H 915mm

Incl. splashback (RNL) 972mm

IN8400E-CB

900MM WALDORF 8400 SERIES 4 INDUCTION ZONE COOKTOP



IN8400E-CB





The 800 Series of Oven Ranges offers a number of gas and electric options designed to meet the varying demands of commercial kitchens.

In terms of sheer cooking power, both gas and electric have lifted performance to a new level. In the gas lineup, enhanced performance up top comes by way of the patented 28MJ open Cooktop burners, while the power of the Electric Cooktop is generated through heavy-duty, 2.4kW radiant elements, or optional 2kW solid plates.

Down below, both Gas and Electric Ovens feature cast iron sole plates for even heat distribution. Heavy-duty motors and circulation fans in the Convection Ovens enable reduced cooking times and lower temperatures.



GAS RANGES.

Standard Features.

Heavy-duty 304 grade stainless steel finish
28MJ rated open burners
2, 4, 6 or 8 burner Cooktop configuration
Flame failure protection on all burners
Removable heavy-duty cast iron burners and
vitreous enamel pot stands
Heavy-duty reinforced control knobs
Drop down door with welded frame
Fully welded and vitreous enamelled oven liner
Cool touch stainless steel door handle
Adjustable feet and 2 additional rollers
Easy clean, installation and service

Options.

Gas or electric, static or convection
Flame failure with standing pilot
Choice of griddle surface – smooth, ribbed, or both
Castor or plinth mounting

Accessories.

Solid top simmer plates

Mobile castor kit (set of 4 castors, 2 lockable)

Joining caps



GAS RANGES

600MM WALDORF 8410 SERIES 4 BURNER COOKTOP

Oven Options

G GAS STATIC OVEN



Dimensions

Hob Variations

Model Codes

RN8410G

RN8413G

RN8416G



RN8410G

1200MM WALDORF 8820 SERIES 8 BURNER COOKTOP





RN8820G

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



RN8820G



RN8823G



RN8826G



RN8829G

Waldorf 800 Series Oven Ranges start with a heavyduty galvanized steel chassis. All oven liners are fully welded and vitreous enamelled. Cast iron sole plates in all ovens and welded frame doors ensure durable performance.





GAS RANGES

750MM WALDORF 8510 SERIES 4 BURNER COOKTOP



RN8510GE

Oven Options



G GAS STATIC OVEN



GC GAS CONVECTION
OVEN

GE ELECTRIC STATIC



OVEN

GEC ELECTRIC

CONVECTION OVEN

Dimensions

W 750mm, D 805mm, H 915mm

Incl. splashback 1130mm

Incl. low back (RNL) 972mm

Hob Variations

ations Model Codes





RN8510G RN8510GE RN8510GEC RN8513G RN8513GC RN8513GE RN8513GE

900MM WALDORF 8910 SERIES 4 BURNER COOKTOP



RN8510G

۵[

G GAS STATIC OVEN



GC GAS CONVECTION OVEN



GE ELECTRIC STATIC



GEC ELECTRIC CONVECTION OVEN

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



RN8910G RN8910GC RN8910GE RN8910GEC

900MM WALDORF 8610 SERIES 6 BURNER COOKTOP



RN8610G



G GAS STATIC OVEN



GC GAS CONVECTION OVEN



GE ELECTRIC STATIC OVEN



GEC ELECTRIC CONVECTION OVEN W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm









RN8610G RN8610GC RN8610GE RN8610GEC

RN8613G RN8613GC RN8613GE RN8613GEC

RN8616GC RN8616GE RN8616GEC RN8619G

RN8619GC RN8619GE RN8619GEC

1200MM WALDORF 8810 SERIES 8 BURNER COOKTOP



RN8810GE

3

G GAS STATIC OVEN



GC GAS CONVECTION OVEN



GE ELECTRIC STATIC OVEN



GEC ELECTRIC
CONVECTION OVEN

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm









RN8810G RN8810GC RN8810GE RN8810GEC

RN8813G RN8813GC RN8813GE RN8813GEC

RN8816GC RN8816GE RN8816GEC RN8819G RN8819GC

RN8819G RN8819GC RN8819GE RN8819GEC

ELECTRIC RANGES.

Standard Features.

Heavy-duty 304 grade stainless steel finish

2.4 kW radiant elements

4 or 6 hot plate size configuration.

 Six hot plate temperature settings with simmer

setting

Heavy-duty reinforced control knobs

12mm griddle plate

Drop down door with welded frame

Fully welded and vitreous enamelled oven liner

Cool touch stainless steel door handle

Adjustable feet and 2 additional rollers

Easy clean, installation service

Options.

Choice of griddle surface - smooth ribbed or both

2kW solid plates

Electric - static or convection

Castor or plinth mounting

Accessories.

Mobile castor kit (set of 4 castors, 2 lockable)

Joining caps



ELECTRIC RANGES

900MM WALDORF 8610 SERIES 6 ELEMENT COOKTOP



RN8610E

Oven	Options
------	---------





EC ELECTRIC
CONVECTION OVEN

Dimensions

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

Hob Variations



RN8613E RN8613EC



RN8616EC

RN8616E

Model Codes

RN8610E

RN8610EC



RN8619E RN8619EC





Waldorf 900mm Target Tops are available as stand-alone hobs, or with a choice of four base units – cabinet base, leg stand, refrigeration base, or oven base (static/convection, gas/electric).

Featuring a high output, dual ring cast iron burner, the super heavy-duty
Target Top casting provides outstanding heat recovery and heat control.
Outstanding thermal efficiency is achieved by way of a burner box lined
with 50mm refractory ceramic blocks.



TARGET TOPS.

Standard Features.

Heavy-duty 304 grade stainless steel finish
45MJ dual ring cast iron burner
Flame failure protection and continuous pilot burner
Top plates and removable centre with spill protection design
Heavy-duty reinforced control knobs
Mounted on leg stand with suite matching shelf
Adjustable feet and 2 additional rollers
Target Top Oven Range includes Drop down door with welded frame
Fully welded and vitreous enamelled oven liner
Cool touch stainless steel door handle
Easy clean, installation and service

Options.

Bench mounted
Gastronorm storage cabinet underneath
Gastronorm refrigeration module underneath
Castor or plinth mounting

Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps





GAS TARGET TOPS

900MM WALDORF 8100 SERIES TARGET TOP



RN8100G-CB

900MM WALDORF 8110 SERIES TARGET TOP OVEN



RN8110G

Model Options

BENCH MODEL
CABINET BASE MODEL
LEG STAND MODEL
REFRIGERATED BASE MODEL

Dimensions

All models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm Model Codes

RN8100G-B RN8100G-CB RN8100G-LS RN8100G-RB

Oven Options



G GAS STATIC OVEN



GC GAS CONVECTION OVEN



GE ELECTRIC STATIC
OVEN




GEC ELECTRIC
CONVECTION OVEN

Dimensions

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm Model Codes

RN8110G RN8110GC RN8110GE RN8110GEC





GRIDDLES.

Waldorf heavy-duty Gas Griddles are available in 450, 600, 900 and 1200mm widths and Electric Griddles are available in 600, 900 and 1200mm widths. Gas Griddle Ranges are available in 900 and 1200mm, Electric Griddle Ranges are available in 900mm, both have with electric ovens in static or convection.

All heavy-duty Griddles feature seamless weld construction with a solid 20mm thick plate as standard, for maximum heat retention and distribution. They are thermostatically controlled for accurate temperature setting, and are available in machine finished mild steel plate, or the new mirror chromed finish for more consistent performance. They also offer a choice of smooth or ribbed surfaces, or a mixture of both.



GRIDDLES.

Standard Features.

Heavy-duty 304 grade stainless steel finish

Thermostatic control

20mm thick machined top plates

Full pilot and flame failure protection

Top weld sealed plates

Stainless steel grease drawer

Heavy-duty reinforced control knobs

Push-button piezo ignition

Mounted on leg stand with suite matching shelf

Adjustable feet and 2 additional rollers

Easy clean, installation and service

Griddle Oven Range includes -

Drop down door with welded frame

Fully welded and vitreous enamelled oven liner

Cool touch stainless steel door handle

Easy clean, installation and service

Options.

Choice of griddle surface – smooth, ribbed, or both

Mirror chromed plate option

Bench mounted

Gastronorm storage cabinet underneath

Gastronorm refrigeration module underneath

Castor or plinth mounting

Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps



GAS GRIDDLES

450MM WALDORF 8450 SERIES GRIDDLE



GP8450G-LS

Model Options

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL

Dimensions

Bench models W 450mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

Model Codes

GP8450G-B GP8450G-CB GP8450G-LS

600MM WALDORF 8600 SERIES GRIDDLE



GP8600G-LS

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL

Bench models

W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models

W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm GP8600G-B GP8600G-CB GP8600G-LS

900MM WALDORF 8900 SERIES GRIDDLE



GP8900G-CB

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL

Bench models

W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm GP8900G-B GP8900G-CB GP8900G-LS GP8900G-RB

1200MM WALDORF 8120 SERIES GRIDDLE



GP8120G-LS

BENCH MODEL
CABINET BASE MODEL
LEG STAND MODEL
REFRIGERATED BASE MODEL

Bench models

W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

All other models

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm GP8120G-B GP8120G-CB GP8120G-LS GP8120G-RB



ELECTRIC GRIDDLES

600MM WALDORF 8600 SERIES GRIDDLE



GP8600E-LS

GRIDDLE

Model Options

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL

Dimensions

Bench models

W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models

W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

Model Codes

GP8600E-B GP8600E-CB GP8600E-LS

900MM WALDORF 8900 SERIES



GP8900E-LS

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL

Bench models

W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm GP8900E-B GP8900E-CB GP8900E-LS GP8900E-RB

1200MM WALDORF 8120 SERIES GRIDDLE



GP8120E-LS

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL REFRIGERATED BASE MODEL

Bench models

W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (GPL) 372mm

All other models

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm GP8120E-B GP8120E-CB GP8120E-LS GP8120E-RB



GAS GRIDDLE

900MM WALDORF 8910 SERIES GRIDDLE OVEN



GP8910G

Oven Options





Dimensions

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

Model Codes

GP8910GE GP8910GEC

900MM WALDORF 8121 SERIES GRIDDLE OVEN



GP8121GEC



GE ELECTRIC STATIC OVEN



W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm GP8121GE GP8121GEC



ELECTRIC GRIDDLE

900MM WALDORF 8910 SERIES GRIDDLE OVEN



GP8910EC

Oven Options






EC ELECTRIC CONVECTION OVEN

Dimensions

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm

Model Codes

GP8910E GP8910EC



GRIDDLE TOASTER.

The Waldorf 800 Series Griddle Toaster uses one set of specially designed burners and stainless steel radiants to perform two functions. The burners heat the 16mm thick grill plate above them while providing heat to the toasting rack below, without compromising cooking times or performance.



GRIDDLE TOASTER

600MM WALDORF 8600 SERIES GRIDDLE TOASTER





GT8600G

Dimensions

W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GTL) 972mm Model Code

GT8600G





GAS CHARGRILLS.

Powerful stainless steel burners are the engine room of the 800 Series Chargrills. Heavy-duty cast iron grates and radiants deliver maximum heat right to the cooking surface edge.

The inclined position incorporates a flare reducing grate fin design, with grooves, to run grease into a front collection channel. Interchangeable 300 and 450mm drop-on griddle sections add an extra dimension to 800 Series Chargrills.

Standard Features.

Heavy-duty 304 grade stainless steel finish
Reversible heavy-duty top grates
Inclined position to reduce flare and enhance grease run
33MJ/hr stainless steel burners per 300mm section
Flame failure protection with continuous pilot burner
Lift out grates, radiants and baffles for cleaning
Heavy-duty reinforced control knobs
Mounted on leg stand with suite matching shelf
Adjustable feet and 2 additional rollers
Easy clean, installation and service

Options.

Castor or plinth mounting

Accessories.

Interchangeable drop-on griddle plates

Mobile castor kit (set of 4 castors, 2 lockable)

Joining caps



GAS CHARGRILL

300MM WALDORF 8300 SERIES CHARGRILL

Model Options

Dimensions

Model Codes

BENCH MODEL ONLY



W 300mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (CHL) 372mm

W 450mm, D 805mm, H 315mm

W 450mm, D 805mm, H 915mm

Incl. splashback 530mm

Incl. low back (CHL) 372mm

CH8300G-B

CH8300G-B

450MM WALDORF 8450 SERIES CHARGRILL

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL



Incl. splashback 1130mm Incl. low back (CHL) 972mm

All other models

Bench models

CH8450G-B CH8450G-CB CH8450G-LS

CH8450G-LS

600MM WALDORF 8600 SERIES CHARGRILL

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL



CH8600G-LS

Bench models

W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (CHL) 372mm

All other models

W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (CHL) 972mm CH8600G-B CH8600G-CB CH8600G-LS

900MM WALDORF 8900 SERIES CHARGRILL

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL



CH8900G-LS

Bench models

W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (CHL) 372mm

All other models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (CHL) 972mm CH8900G-B CH8900G-CB CH8900G-LS

1200MM

WALDORF 8120 SERIES CHARGRILL

BENCH MODEL CABINET BASE MODEL LEG STAND MODEL



Bench models

W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (CHL) 372mm

All other models

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (CHL) 972mm CH8120G-B CH8120G-CB CH8120G-LS



SOLID FUEL GRILLS.

Bring outdoor cooking inside with the Waldorf Solid Fuel Grill. Featuring heavy-duty stainless steel rod grates and heavy-duty firebox, the Solid Fuel Grill is available in 600mm, 900mm and 1200mm widths.

Gain a unique char and add natural smoke flavour to your menu.

Fully modular for a match suite finish the cabinet base is available with or without doors. Outstanding thermal efficiency is achieved by way of a firebox lined with 50mm refractory blocks.

Standard Features.

Fully modular solid fuel grill

3 modular width models

Heavy-duty fire box

Heavy-duty stainless steel rod grates

Stainless steel exterior

Open box easy clean

Low back models (SFL) available

Ash rake included

Welded hob with 1.5mm 304 stainless steel bull nose

Spalshback and side panels 1.2mm 304 stainless steel

Front panel's 0.9mm stainless steel

50mm thick refractory brick lined fire box

Insulated sides

Options.

Cabinet base with or without doors



SOLID FUEL GRILL

600MM WALDORF 8600 SERIES SOLID FUEL GRILL

Model Options

CABINET BASE MODEL (WITH OR WITHOUT DOORS)



W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm


Dimensions

Model Codes

SF8600-CB SF8600-CD

SF8600-CB

900MM WALDORF 8900 SERIES SOLID FUEL GRILL






W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm SF8900-CB SF8900-CD

SF8900-CB

1200MM WALDORF 8120 SERIES SOLID FUEL GRILL





SF8120-CB

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm SF8120-CB SF8120-CD



SALAMANDERS.

User-friendly Waldorf Gas and Electric Salamanders are well equipped to meet the production and performance demands of the professional kitchen.

Efficiency comes by way of high-speed infrared burners and elements that heat up rapidly and use less energy to get the job done by directing more heat to the cooking surfaces.

Both gas and electric options can accommodate a Gastronorm GN 1/1 tray.

Standard Features.

Heavy-duty 304 grade stainless steel finish

Powerful 2 x 3kW elements or 2 x infrared 15.5MJ burners (8200 models)

SN8100E model features 2 x 1.8kW elements

Standing pilot with flame failure on gas models

Left and right hand heat control

Wall mounting bracket

Easy clean, installation and service

Bottom collection tray

Accessories.

Branding plate





GAS SALAMANDER

900MM WALDORF 8200 SERIES SALAMANDER



SN8200G



ELECTRIC SALAMANDER

900MM WALDORF 8200 SERIES SALAMANDER



SN8200E

600MM WALDORF 8100 SERIES ADJUSTABLE SALAMANDER



SN8100E

Options

SN8200G Four position racking (flat or inclined)

SN8200GB Four position racking (flat or inclined) with branding plate

Dimensions

W 900mm, D 390mm (420mm with wall mounting bracket), H 400mm

Model Codes

SN8200G SN8200GB

Options

SN8200E Four position racking (flat or inclined)

SN8200EB Four position racking (flat or inclined) with branding plate

Self balancing

adjustable grill height


Dimensions

W 900mm, D 390mm (420mm with wall mounting bracket), H 400mm

Model Codes

SN8200E SN8200EB

W 600mm, D 510mm (540mm with wall mounting bracket), H 514mm SN8100E



FRYERS.

Waldorf Fryers have long set the benchmark for durability, speed and economy. The 800 Series builds on this tradition with a redesigned range of Fryers. Whatever your deepfrying demands, Waldorf covers all possibilities with a range including single or twin pan, Gas, Electric or High Performance and Output (HPO) Fryers in 400, 450 or 600mm.

Gas units feature Waldorf's unique Fast Fri technology, incorporating patented infrared burners for industry leading frying output and recovery.

All Fryers are available with either mechanical or digital controls. Digital control models offer precise temperature control, three product timers, as well as time and temperature digital display. Twin pan models have independent digital controls for each pan and six product timers.

For high volume operations, the 800 Series High Performance and Output (HPO) Fryers take speed and performance to another level again. Increased production (up to 50kg/hr) and superior recovery times are made possible through a blower system that pushes greater volumes of air and gas through specially designed ceramic fibre burners. More heat is absorbed by the oil, resulting in lower flue exhaust temperatures and lower production costs per kilo.

Standard Features.

Heavy-duty 304 grade stainless steel finish

Gas models feature the patented infrared burner system

Easy clean stainless steel open pan with 10-year limited warranty

32mm drain valve

Oil level and over temperature safety cut-outs

Oil level and over temperature safety cut-outs Stainless steel exterior

Fully modular

Baskets and lids included

Adjustable feet with additional rear rollers

Easy clean, installation and service

Options.

Waldorf Filtamax Filtration System Castor or plinth mounting

Accessories.

Extra baskets
Side splash guards
Mobile castor kit (set of 4 castors, 2 lockable)
Joining caps



GAS FRYER

400MM WALDORF SINGLE PAN GAS FRYER

Capacity

Dimensions

Variations

Model Codes

18 LITRE CAPACITY



W 400mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (FNL) 1082mm MECHANICAL CONTROLS FN8118G

FN8118G

450MM WALDORF SINGLE PAN GAS FRYER

20 LITRE CAPACITY



W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (FNL) 1082mm MECHANICAL CONTROLS

FN8120G

DIGITAL DISPLAY ELECTRONIC CONTROLS FN8120GE

FN8120G

450MM WALDORF TWIN PAN GAS FRYER





'

FN8226G

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (FNL) 1082mm MECHANICAL CONTROLS

FN8226G

DIGITAL DISPLAY ELECTRONIC CONTROLS FN8226GE

600MM WALDORF SINGLE PAN GAS FRYER

31 LITRE CAPACITY EACH PAN



FN8130G-HPO

W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (FNL) 1082mm MECHANICAL CONTROLS

FN8130G

DIGITAL DISPLAY ELECTRONIC CONTROLS FN8130GE

HPO FRYER -ELECTRONIC CONTROLS High Performan

High Performance and Output Infrared burner

system

FN8130G-HPO





450MM WALDORF SINGLE PAN ELECTRIC FRYER

Capacity	

27 LITRE CAPACITY



FN8127E

Dimensions

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (FNL) 1082mm

Variations

MECHANICAL CONTROLS

DIGITAL DISPLAY ELECTRONIC CONTROLS

Model Codes

FN8127E

FN8127EE

450MM WALDORF TWIN PAN **ELECTRIC FRYER**

12 LITRE CAPACITY **EACH PAN**



FN8224EE

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (FNL) 1082mm

MECHANICAL CONTROLS

DIGITAL DISPLAY ELECTRONIC CONTROLS

FN8224E

FN8224EE



FILTAMAX.

Waldorf Filtamax is a fully integrated filtration system, designed to fit in the unused space beneath the Waldorf Fast Fri Gas and Electric Fryers.

Moisture, fatty acids and food residue spoil the taste of fried food by contaminating the oil in which food is cooked. Filtamax removes these impurities, enabling you to produce better tasting food and more consistent results. It also reduces your operating costs by extending the life of your cooking oil by up to 50%.

Filtamax can be configured to the filtering method best suited to your application - either a reusable filter bag or filter pad kit used in conjunction with Filtamax pad consumables.

All Filtamax filters are mobile and can be used to filter fryers other than Waldorf, as long as the cooking oil capacity of the fryer does not exceed the recommended Filtamax oil capacity.

Standard Features.

Heavy-duty 304 grade stainless steel finish Powerful reversible 1/3 HP pump Reusable filter bag Mounted on two fixed and two swivel castors Rigid delivery hose with heavy-duty insulated

Easy clean, installation and service

Options.

handle

Additional reusable filter bags Carbon pad upgrade kit Drain adaptor kit Drain extension kit





ELECTRIC FILTAMAX

WALDORF 800 SERIES FILTAMAX FRYER FILTER



20 LITRE CAPACITY
30 LITRE CAPACITY
32 LITRE CAPACITY

Capacity

 Dimensions
 Model Codes

 W 324mm, D 683mm, H 562mm
 FF8130E

 W 324mm, D 735mm, H 562mm
 FF8135E

FF8140E

W 474mm, D 683mm, H 562mm



BRATT PANS.

Big on performance, the 800 Series of tilting Bratt Pans has expanded to include a choice of 80 litre (900mm wide) or 120 litre (1200mm wide) options in gas or electric. Easy clean, easy service and superb finishing make the new Bratt Pans a welcome addition to the 800 Series line-up.

Standard Features.

Heavy-duty 304 grade stainless steel finish

Manually operated tilting mechanism

Heavy-duty lid and hinge system

Galvanized steel chassis

Stainless steel exterior

Full stainless steel pan with 2mm pan body

12mm thick stainless steel even heat pan base

Large capacity pouring spout

Heavy-duty stainless steel legs with adjustable feet

Large easy use control knobs - heat resistant reinforced

Thermostatic control

Over temperature safety cut-out

Fold away handle on manual pan tilt

Easy clean, installation and service

Options.

Electric power tilting mechanism Plinth mounting

Accessories.

Joining caps



GAS BRATT PANS

900MM WALDORF 800 SERIES **GAS BRATT PANS**

Capacity

Dimensions

Variations

Model Codes

80 LITRE CAPACITY W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BPL) 972mm With lid open 1600mm

MANUALLY OPERATED TILTING MECHANISIM

BP8080G

ELECTRIC POWER TILTING MECHANISIM BP8080GE

BP8080G

1200MM WALDORF 800 SERIES **GAS BRATT PANS**

120 LITRE CAPACITY

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BPL) 972mm With lid open 1600mm

MANUALLY OPERATED TILTING MECHANISIM

BP8120G

ELECTRIC POWER TILTING MECHANISIM BP8120GE

BP8120G

ELECTRIC BRATT PANS

900MM **WALDORF 800 SERIES ELECTRIC BRATT PANS**

Capacity

80 LITRE CAPACITY

Dimensions

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BPL) 972mm With lid open 1600mm

Variations

MANUALLY OPERATED TILTING MECHANISIM

BP8080E

Model Codes

ELECTRIC POWER TILTING MECHANISIM

BP8080EE




BP8080EE

1200MM WALDORF 800 SERIES **ELECTRIC BRATT PANS**

120 LITRE CAPACITY

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BPL) 972mm With lid open 1600mm




BP8120E

ELECTRIC POWER TILTING MECHANISIM BP8120EE



BP8120EE



PASTA COOKERS.

The 800 Series Pasta Cooker is built for speed. Fully modular, and featuring a unique pan design, it comes well equipped for the continuous production of perfect pasta.

From variable high boil to standby simmer, our patented infrared burner system maintains constant water temperature and enables faster turnaround of product through outstanding recovery times from low heat settings. The standard provision of four baskets allows four different pastas to be cooked at the same time.

Standard Features.

Unique pan design

Fine adjustment water faucet for pan filling

Starch-skimming system for constant water freshness

316 grade stainless steel pan for extra resistance to salt effects

Easy clean stainless steel open pan with 10-year limited warranty

25mm drain valve for safe and easy cleaning

Four stainless steel pasta baskets for multiple pasta cooking

Safety cut out thermostat for empty pan/water boil out

Hinged basket drain stand

Removable basket support grid

Adjustable feet and additional rear rollers

Easy clean, installation and service

Options.

Plinth mounting

Rectangular baskets

Accessories.

Side splashguards

Joining caps





GAS PASTA COOKER

450MM WALDORF 8140 SERIES SINGLE PAN PASTA COOKER

Capacity

40 LITRE CAPACITY

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (PCL) 972mm

Dimensions

Model Codes

PC8140G



ELECTRIC PASTA COOKER

450MM WALDORF 8140 SERIES SINGLE PAN PASTA COOKER

PC8140G Capacity

40 LITRE CAPACITY



PC8140E

Dimensions

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (PCL) 972mm

Model Codes

PC8140E



BENCH TOPS.

The 800 Series Bench Top has been designed to seamlessly be added to any cooking lineup or to a new low back island suite. In a variety of widths, combinations and end models to streamline your kitchen - 200mm, 300mm, 400mm, 450mm, 550mm, 600mm and 700mm width models are available with a mixture of cabinet base, cabinet base with doors and leg stand. 900mm width are available with cabinet base, leg stand or refrigerated base.

Waldorf 800 Series Bench Tops give you the option of extra work area, storage or refrigeration.

Standard Features.

3.5mm thick compound work surface

- 1.5mm heavy-duty 304 grade stainless steel top
- 2.0mm galvanised steel backing

Mounted on leg stand with suite matching shelf Adjustable feet at front with rear rollers

Options.

Gastronorm storage cabinet underneath
Gastronorm refrigeration module underneath
Plinth mounting
Castors

Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps **BENCH TOPS** Model Options Model Codes Dimensions CABINET BASE MODEL W 200mm, D 805mm, H 915mm BT8200-CB 200MM Incl. splashback 1130mm **WALDORF 8200 SERIES** CABINET BASE WITH DOORS Incl. low back (BTL) 972mm BT8200-CD **BENCH TOP** BT8200-CD W 300mm, D 805mm, H 915mm CABINET BASE WITH DOORS BT8300-CD 300MM WALDORF 8300 SERIES Incl. splashback 1130mm Incl. low back (BYL) 972mm **BENCH TOP** BT8300-CD CABINET BASE WITH DOORS W 400mm, D 805mm, H 915mm BT8400-CD-LH 400MM LEFT HAND END WALDORF 8400 SERIES Incl. splashback 1130mm Incl. low back (BTL) 972mm **BENCH TOP** CABINET BASE WITH DOORS BT8400-CD-RH RIGHT HAND END BT8400-CD-LH CABINET BASE MODEL W 450mm, D 805mm, H 915mm BT8450-CB 450MM Incl. splashback 1130mm WALDORF 8450 SERIES LEG STAND MODEL Incl. low back (BTL) 972mm BT8450-LS **BENCH TOP**

BT8450-LS

BENCH TOPS	Model Options	Dimensions	Model Codes
550MM WALDORF 8550 SERIES BENCH TOP	CABINET BASE WITH DOORS LEFT HAND END CABINET BASE WITH DOORS RIGHT HAND END	W 550mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BTL) 972mm	BT8550-CD-LH BT8550-CD-RH
BT8550-CD-LH	NOTITIANO END		
	CABINET BASE MODEL	W 600mm, D 805mm, H 915mm	BT8600-CD
WALDORF 8600 SERIES BENCH TOP	LEG STAND MODEL	Incl. splashback 1130mm Incl. low back (BYL) 972mm	BT8600-LS
BT8600-CD			
700MM WALDORF 8700 SERIES BENCH TOP	CABINET BASE WITH DOORS LEFT HAND END CABINET BASE WITH DOORS RIGHT HAND END	W 700mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BTL) 972mm	BT8700-CD-LH BT8700-CD-RH
BT8700-CD-LH			
900MM WALDORF 8900 SERIES BENCH TOP	CABINET BASE MODEL	Incl. splashback 1130mm LEG STAND MODEL Incl. low back (BTL) 972mm	BT8900-CB
	LEG STAND MODEL		BT8900-CD
	REFRIGERATED BASE		BT8900-RB

BT8900-LS



BENCH TOPS

900MM WALDORF 8900 SERIES BENCH TOP



BT8900S-RB

Model Options

CABINET BASE MODEL

LEG STAND MODEL

REFRIGERATED BASE

Dimensions

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BTL) 972mm Model Codes

BT8900S-CB

BT8900S-CD

BT8900S-RB



Taste the Waldorf 800 Series.

Our network of dealer showrooms is well resourced to provide all the information you need on the Waldorf 800 Series. To see it in action, book in for a demonstration at a Moffat Test Kitchen near you.

Our skilled chefs and knowledgeable sales team will help you in selecting the right appliances for your kitchen.

Introductory sessions can be booked online through www.moffat.com.au Moffat Australia or www.moffat.co.nz Moffat New Zealand.

On call service where you are.

Moffat provides full service backup, 24 hours a day, 7 days a week. Our own Technical Service Department provides full support to a team of trained service personnel in each of our branches.

Strategically placed, authorised service providers provide backup to outlying areas and a national toll free number enables immediate access to our service network.







Waldorf 800 Series AGA Gas Certified Products

Gas Pasta Cooker - PC8410G and PCL model	Cert. No. 7027
Gas Griddle Toaster - GT8600G	Cert. No. 6869
Gas Target Top - RN8100G , RNL8100G and RNL models	Cert. No. 6872
Gas Chargrill - CH8300G, CH8600G, CH8900G, CH8120G and CHL models	
Gas Salamander - SN8200G	Cert. No. 4337
Gas Cooktop - RN8200G, RN8400G, RN8450G, RN8600G, RN8800G, RN8900G and RNL models	Cert. No. 6902
Gas Range Static Oven 600mm - RN8410G, RN8820G and RNL models	
Gas Range Static Oven - RN8510G, RN8610G, RN8810G, RN8910G and RNL models	
Gas Range Electric Static Oven - RN8510GE, RN8610GE, RN8810GE, RN8910GE and RNL models	Cert. No. 6892
Gas Range Convection Oven - RN8510GC, RN8610GC, RN8810GC, RN8910GC and RNL models	
Gas Range Electric Convection Oven - RN8510GCE, RN8610GCE, RN8810GCE, RN8910GCE and RNL models	
Gas Target Top Range - RN8110G, RN8110GC and RNL models	
Gas Target Top Range Electric Oven - RN8110GE, RN8110GEC and RNL models	
Gas Bratt Pan - BP8080G(E), BP8120G(E) and RNL models	Cert. No. 6923
Gas Griddle Plate - GP8600G, GP8900G, GP8120G and GPL models	Cert. No. 6898
Gas Griddle Range Electric Oven - GP8910GE, GP8910GEC, GP8121GE, GP8121GEC and GPL models	Cert. No. 7088
Gas Fryer - FN8120G, FN8226G, FN8130G and FNL models	Cert. No. 6882
Gas Fryer DigitalControl - FN8120GE, FN8226GE, FN8130GE and FNL models	Cert. No. 6882
Gas HPO Fryer - FN8130GHPO and FNL models	Cert. No. 6125





Australia moffat.com.au

Moffat Pty Limited

Victoria/Tasmania 740 Springvale Road Mulgrave, Victoria 3170 Telephone +61 3-9518 3888 Facsimile +61 3-9518 3833 vsales@moffat.com.au

New South Wales Telephone +61 2-8833 4111 nswsales@moffat.com.au

South Australia Telephone +61 3-9518 3888 vsales@moffat.com.au

Queensland / Northern Territory Telephone +61 7-3630 8600 qldsales@moffat.com.au

Western Australia Telephone +61 8-9413 2400 wasales@moffat.com.au

New Zealand moffat.co.nz

Moffat Limited

Rolleston 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6600 Facsimile +64 3-983 6660 sales@moffat.co.nz

Auckland Telephone +64 9-574 3150 sales@moffat.co.nz

International moffat.com

Moffat Limited

Rolleston 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6600 Facsimile +64 3-983 6660 international@moffat.co.nz



ISO9001 Quality Management Standard

Designed and manufactured by



ISO9001

All Waldorf products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd AN.W8S.B.1801



Australia



New Zealand



International



an Ali Group Company





