

Technical data sheet for

## E23M3 ON THE SK23 STAND

Half Size Manual / Electric Convection Oven  
on a Stainless Steel Stand



### E23M3

Unit shall be a Moffat electrically heated Turbofan convection oven. The oven shall have a one piece vitreous enamel oven chamber, stainless top and sides and safe touch vented easy clean drop down door. Oven shall have capacity for three half size sheet pans. The oven shall have 2.8kW heating elements. The oven shall have a bi-directional single reversing fan system. The oven shall be controlled by a mechanical thermostat with a range of 50-260°C, a 60 minute bake timer, and feature a single halogen oven lamp. Oven shall be able to be bench mounted on 76mm feet or mounted on oven stand model SK23. Oven shall be fitted with a 15A plug-in cordset. Unit shall be supplied in 100% recyclable shipping packaging.

### SK23

Unit shall be a Moffat Turbofan stainless steel oven stand. The stand shall be constructed from stainless steel tube with castors, with front castors having dual swivel and wheel locks. It shall be fitted with 6 tray runners suitable for half size sheet pans. The stand shall be fully compatible with, and support, Turbofan Convection Oven models E22M2 and E23M3. Unit shall be supplied in 100% recyclable shipping packaging.

### STANDARD FEATURES

- 3 460mm x 330mm / 18" x 13" half size sheet pan capacity
- 3 GN 2/3 pan capacity
- 85mm tray spacing
- Compact 610mm width
- Bi-directional reversing fan system
- 2.8kW heating power
- 15A plug-in cordset fitted
- Vitreous enamel oven chamber
- Plug-in continuous oven door seal
- Safe-Touch vented drop down door
- Stay-Cool door handle
- Heavy-duty door hinges
- Easy clean door glass system
- Mechanical thermostat 50-260°C
- 60 minute timer with time up alarm
- Halogen oven lamp
- Dia. 180mm full stainless steel oven fan
- Anti-skid 50mm dia. 76mm high adjustable stainless steel feet
- 3 oven wire racks supplied
- 100% recyclable packaging

### ACCESSORIES

- Turbofan SK23 Oven Stand

#### E23M3 Half Size Manual / Electric Convection Oven on a Stainless Steel Stand

##### CONSTRUCTION

Vitreous enameled fully welded oven chamber  
 Stainless steel front, sides and top exterior  
 Stainless steel oven fan baffle and oven vent  
 Removable 3 position chrome plated wire side racks  
 Oven racks chrome plated wire (3 supplied)  
 Stainless steel frame drop down hinged door  
 5mm thick door outer glass  
 5mm thick low energy loss door inner glass  
 Heavy-duty counterbalanced door hinges  
 Wear resistant powder coated welded door handle  
 Stainless steel control panel  
 Aluminium coated steel base and rear panels

##### CONTROLS

Power ON control panel indicator  
 Mechanical thermostat 50-260°C  
 Heating ON control panel indicator  
 Manual 60 minute timer  
 Time-Up control panel indicator and buzzer  
 Over-temperature safety cut-out

##### CLEANING

Stainless steel top and sides continuous exterior panel  
 Vitreous enameled oven chamber  
 Fully removable chrome plated oven side racks  
 Removable stainless steel oven fan baffle  
 Full stainless steel oven fan  
 Easy clean door system with hinge out door inner glass (no tools required)  
 Removable plug-in oven door seal (no tools required)  
 76mm high stainless steel feet for easy access underside

##### SPECIFICATIONS

Electrical Requirements  
 230-240V, 50Hz, 1P+N+E, 3kW, 12A  
 15A cordset fitted

##### External Dimensions

Width 610mm  
 Height 607mm including 76mm feet  
 Depth 642mm

##### Oven Internal Dimensions

Width 495mm  
 Height 305mm  
 Depth 340mm  
 Volume 0.51m<sup>3</sup>

##### Oven Rack Dimensions

Width 460mm  
 Depth 330mm

Nett Weight (E23M3)  
 42.4kg

##### Packing Data (E23M3)

54.6kg  
 0.34m<sup>3</sup>  
 Width 750mm  
 Height 705mm  
 Depth 635mm

#### SK23 Stainless Steel Stand

All stainless steel welded frame oven stand for Turbofan E22 and E23 Series ovens  
 6 position tray runners standard  
 4 76mm diameter wheel swivel castors standard with 2 front castors with dual swivel and wheel lock  
 Welded 38mm and 32mm square tube front and rear frames  
 Welded rack supports/side frames  
 Top frame oven supports suit Turbofan E22 and E23 Series oven mounting  
 Supplied CKD for assembly on site

##### External Dimensions (SK23 Oven Stand)

Width 610mm  
 Height 880mm  
 Depth 530mm

##### Nett Weight (SK23 Oven Stand)

16kg

##### Packing Data (SK23 Oven Stand)


18kg  
 0.09m<sup>3</sup>  
 Width 630mm  
 Height 900mm  
 Depth 152mm

##### INSTALLATION CLEARANCES

Rear 25mm  
 LH Side 25mm  
 RH Side 25mm

##### CLEARANCE FROM SOURCES OF HEAT

A minimum distance of 300mm from the appliance sides is required



Australia  
[www.moffat.com.au](http://www.moffat.com.au)  
 New Zealand  
[www.moffat.co.nz](http://www.moffat.co.nz)  
[www.turbofanoven.com](http://www.turbofanoven.com)

Australia  
 Moffat Pty Limited

Victoria/Tasmania  
 740 Springvale Road  
 Mulgrave, Victoria 3170  
 Telephone +61 3-9518 3888  
 Facsimile +61 3-9518 3833  
 vsales@moffat.com.au

New South Wales  
 Telephone +61 2-8833 4111  
 nswsales@moffat.com.au

South Australia  
 Telephone +61 3-9518 3888  
 vsales@moffat.com.au

Queensland  
 Telephone +61 7-3630 8600  
 qldsales@moffat.com.au

Western Australia  
 Telephone +61 8-9413 2400  
 wasales@moffat.com.au

New Zealand  
 Moffat Limited

Christchurch  
 45 Illinois Drive  
 Izone Business Hub  
 Rolleston 7675  
 Telephone +64 3-983 6600  
 Facsimile +64 3-983 6660  
 sales@moffat.co.nz

Auckland  
 Telephone +64 9-574 3150  
 sales@moffat.co.nz



Designed and manufactured by  
**MOFFAT**

##### ISO9001

All Turbofan products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd  
 AN.TFN.S.1901