# **20D**SERIES



E28D4/2 E28D4/2C

Technical data sheet for

# **E28D4** DOUBLE STACKED

Full Size Digital / Electric Convection Ovens
Double Stacked on a Stainless Steel Base Stand



Model E28D4/2C shown



## E28D4/2 E28D4/2C

E28D4 ovens shall be Moffat electrically heated Turbofan convection ovens. The ovens shall have a one piece vitreous enamel oven chamber, stainless top and sides and safe touch vented easy clean drop down door. Ovens shall have capacity for four full size sheet pans. The ovens shall have 5.6kW heating elements. The ovens shall have a bi-directional single reversing fan system and feature a single halogen oven lamp. The oven shall be controlled by an electronic control having separate digital displays and adjusting knobs for time and temperature functions. The oven control shall allow both manual and programmed operating modes with programmable steam injection and 3 stage cooking. Ovens shall be double stacked using Double Stacking Kits DSK272831 (adjustable feet option) or DSK272831C (castor option). Units shall be supplied in 100% recyclable shipping packaging.

Double stack models are supplied as two individual ovens and a double stacking kit for field assembly.

E28D4/2 - Double stack with adjustable feet base stand E28D4/2C - Double stack with castor base stand

#### DOUBLE STACK FEATURES

- Two full size ovens
- Compact 810mm width
- Full stainless steel base stand
- Full stainless steel oven spacer frame
- Adjustable feet or castor models
- Guard rail for bottom oven

### OVEN FEATURES (each)

- 4 460mm x 660mm / 18" x 26" full size sheet pan capacity
- 4 400mm x 600mm tray capacity
- 80mm tray spacing
- Digital display Time and Temperature controls
- Large easy view 34" / 20mm high displays
- Electronic thermostat control
- Electronic timer
- Manual mode and Program mode
- 20 programs with 3 stage cooking and stage end alarms
- Steam injection mode and manual injection
- Twin bi-directional reversing fans
- 5.6kW heating
- Vitreous enamel oven chamber
- Plug-in continuous oven door seal
- Safe-Touch vented drop down door
- Stay-Cool door handle
- Heavy-duty door hinges
- Easy clean door glass system
- Dual halogen oven lamps
- Twin dia. 180mm full stainless steel oven fans
- 4 oven wire racks supplied



# turbofan

## **20D**SERIES

E28D4/2 E28D4/2C

## **E28D4/2 E28D4/2C** Full Size Digital / Electric Convection Ovens Double Stacked on a Stainless

Steel Base Stand

CONSTRUCTION - OVENS

Vitreous enameled fully welded oven chamber

Stainless steel front, sides and top exterior Stainless steel oven fan baffle and oven vent

Removable 4 position chrome plated wire side racks

Oven racks chrome plated wire (4 supplied) Stainless steel frame drop down hinged door

5mm thick door outer glass

5mm thick low energy loss door inner glass

Heavy-duty counterbalanced door hinges

Wear resistant powder coated welded door handle

Stainless steel control panel

Aluminised coated steel base and rear panels

CONSTRUCTION - DOUBLE STACKING KIT

All stainless steel construction

Welded 32mm and 38mm square tube front and rear frame base stand

4 adjustable feet on E28D4/2

4 dia. 76mm swivel castors with 2 front castors dual wheel and swivel lock on E28D4/2C

Stainless steel oven spacer frame

Stainless steel bottom oven vent extension

CONTROLS (each oven)

Electronic controls with Digital Time and Temperature display, Manual or Program modes

Large 3/4" / 20mm high LED displays

Two individual time and temperature setting control knobs

ON/OFF and Oven Lights key

Timer Start/Stop key

Steam injection key

Programs select key

Actual temperature display key Adjustable buzzer/alarm volume

Thermostat range 150-500°F / 50-260°C

Timer range from 180 minutes in countdown mode Timer range up to 999 minutes in time count mode for

holding, slow cooking

Over-temperature safety cut-out

CLEANING

Stainless steel top and sides continuous exterior panel

Vitreous enameled oven chamber

Fully removable chrome plated oven side racks

Removable stainless steel oven fan baffle

**നം ജ**ന

Full stainless steel oven fans

Easy clean door system with hinge out door inner glass (no

tools required)

Removable plug-in oven door seal (no tools required)

**SPECIFICATIONS** 

**Electrical Requirements** 

230-240V, 50Hz, 1P+N+E, 5.8kW, 25A

No cordset supplied

Water Requirements (optional) Cold water connection ¾" BSP male

80psi maximum inlet pressure / 20psi minimum inlet pressure

External Dimensions

810mm Width Height

1681mm (E28D4/2)

1763mm (E28D4/2C)

Depth 762mm

Oven Internal Dimensions (each oven)

Width 695mm 355mm Height 470mm Depth Volume 0.116m3

Oven Rack Dimensions Width 660mm

Depth 460mm

Nett Weight (double stack complete) 159kg

Packing Data (E28D4 ovens each) 86.5kg

0.55m3

Width 870mm Height 755mm Depth 835mm

Packing Data (Stacking Kit) 19kg (DSK272831 - adjustable feet)

22kg (DSK272831C - castor)

0.08m3

590mm Width Height 840mm Depth 160mm

Supplied CKD for assembly on site

INSTALLATION CLEARANCES

25mm Rear 25mm RH Side 25mm


CLEARANCE FROM SOURCES OF HEAT

A minimum distance of 300mm from the appliance sides

is required

#### Double Stacking Kits

For after market double stacking two E28D4 convection ovens DSK272831 - Double stacking kit - adjustable feet DSK272831C - Double stacking kit - castor



Model E28D4/2 shown Model E28D4/2C dimensions: Add 82mm to vertical heights

## MOFFAT

Australia www.moffat.com.au New Zealand www.moffat.co.nz www.turbofanoven.com

#### Australia Moffat Pty Limited

Victoria/Tasmania 740 Springvale Road Mulgrave, Victoria 3170 Telephone +61 3-9518 3888 Facsimile +61 3-9518 3833 vsales@moffat.com.au

New South Wales Telephone +61 2-8833 4111 nswsales@moffat.com.au

South Australia Telephone +61 3-9518 3888 vsales@moffat.com.au

Queensland Telephone +61 7-3630 8600 gldsales@moffat.com.au

Western Australia Telephone +61 8-9413 2400 wasales@moffat.com.au

### New Zealand Moffat Limited

Christchurch 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6600 Facsimile +64 3-983 6660 sales@moffat.co.nz

Auckland Telephone +64 9-574 3150 sales@moffat.co.nz





ISO9001 Quality Management SGS Standard

Designed and manufactured by



ISO9001

All Turbofan products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection. ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice

© Copyright Moffat Ltd AN.TFN.S.1901



an Ali Group Company